

CAR CRASH INVESTIGATION SOLUTION

QUESTION 1

The car speed can be calculated by dividing the distance the car travels between the two camera frames by the time interval between the two camera frames:

$$\text{Car speed} = d / t$$

$$\text{Car speed} = 25 / 1$$

$$\text{Car speed} = 25 \text{ m/s (1 mark)}$$

To get the speed into familiar units of *km/hr*, we can multiply by 3600 seconds (in an hour) and divide by 1000 (1000 metres in a km):

$$\text{Car speed} = 25 \text{ m/s} \times 3600 / 1000$$

$$\text{Car speed} = 90 \text{ km/hr (1 mark)}$$

QUESTION 2

The gradient of a road is the distance the road *rises* (positive gradient) or falls (negative gradient) divided by the horizontal distance the road travels (the 'run').

In the provided diagram, the road rises 10 metres over a horizontal distance of 150 metres. We can work out the gradient:

$$\text{Gradient} = \text{rise} / \text{run}$$

$$\text{Gradient} = 10 / 150$$

$$\text{Gradient} = 0.0667 \text{ (1 mark)}$$

QUESTION 3

The equation has 5 parameters or variables in it and we know all 5. So we can simply plug in the numbers and calculate the final car velocity:

$$v_{\text{end}} = \sqrt{v_{\text{initial}}^2 - 2 \times g \times d_{\text{braking}} \times (f \pm G)}$$

$$v_{\text{end}} = \sqrt{25^2 - 2 \times 9.81 \times 30 \times (0.7 + 0.0667)}$$

$$v_{\text{end}} = 13.18 \text{ m/s}$$

$$v_{\text{end}} = 47.44 \text{ km/hr}$$

(1 mark)

QUESTION 4

The question asks us to calculate the car speed that results in the same stopping distance on a downhill road as a car travelling at 80 km/hr on a flat road.

We immediately know that the braking distance d_{braking} needs to be the same for the flat road case and the downhill case. We can calculate the actual braking distance for the 80 km/hr case:

$$0 = \sqrt{v_{\text{initial}}^2 - 2 \times g \times d_{\text{braking}} \times (f \pm G)}$$

$$0 = \sqrt{22.22^2 - 2 \times 9.81 \times d_{\text{braking}} \times (0.7 + 0.0)}$$

$$2 \times 9.81 \times d_{\text{braking}} \times (0.7 + 0) = 22.22^2$$

$$d_{\text{braking}} = 35.95\text{m}$$

(1 mark)

We also know that the end velocity v_{end} needs to be zero in both cases, because this represents the car slowing to a complete stop.

We can two versions of the equation, one for each scenario, and *equate* them:

$$v_{\text{end flat}} = v_{\text{end downhill}} = 0$$

$$\sqrt{v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0)} = \sqrt{v_{\text{initial downhill}}^2 - 2 \times g \times d_{\text{braking}} \times (f - 0.1)}$$

(1 mark)

We can get rid of the square root signs by squaring both sides:

$$\sqrt{v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0)} = \sqrt{v_{\text{initial downhill}}^2 - 2 \times g \times d_{\text{braking}} \times (f - 0.1)}$$

$$v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0) = v_{\text{initial downhill}}^2 - 2 \times g \times d_{\text{braking}} \times (f - 0.1)$$

Then we can re-arrange the equations to get the downhill initial velocity variable on one side and everything else on the other side.

$$v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0) = v_{\text{initial downhill}}^2 - 2 \times g \times d_{\text{braking}} \times (f - 0.1)$$

$$v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0) + 2 \times g \times d_{\text{braking}} \times (f - 0.1) = v_{\text{initial downhill}}^2$$

$$v_{\text{initial downhill}} = \pm \sqrt{v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0) + 2 \times g \times d_{\text{braking}} \times (f - 0.1)}$$

(1 mark)

Now all we need to do is substitute in the actual values (using 80 km/hr converted into m/s to be consistent with the gravity value being given in m/s/s) and the d_{braking} value we calculated earlier:

$$v_{\text{initial downhill}} = \pm \sqrt{v_{\text{initial flat}}^2 - 2 \times g \times d_{\text{braking}} \times (f + 0) + 2 \times g \times d_{\text{braking}} \times (f - 0.1)}$$

$$v_{\text{initial downhill}} = \pm \sqrt{22.22^2 + 2 \times g \times d_{\text{braking}} [f - 0.1 - f]}$$

$$v_{\text{initial downhill}} = \pm \sqrt{22.22^2 + 2 \times g \times 35.95 \times -0.1}$$

$$v_{\text{initial downhill}} = \pm 20.57\text{m/s}$$

$$v_{\text{initial downhill}} = 74.06\text{km/hr}$$

(1 mark)

Although both answers make mathematical sense, I've picked the positive answer given the context of the problem. So travelling at 74 km/hr on a moderate downhill slope requires the same stopping distance as travelling at 80 km/hr on a flat road, all other things being equal.